

## DELHI POLLUTION CONTROL COMMITTEE



## (Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building Kashmere Gate, Delhi 110006 (Visit us at https://www.dpccocmms.nic.in)

## Form 4 (See Rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier health care facility(HCF), or common bio-medical waste treatment facility (CBWTF)]

**Return No:** 12401291 **Period:** 2024

1. Particulars of the Occupier				
(i) Name of the authorized person (Occupier or operator of facility):	Dr GP Kaushal			
(ii) Name of HCF or CBMWTF:	PT. MADAN MOHAN MALAVIYA HOSPITAL			
(iii) Address for Correspondence:	Malviya nagar			
(iv) Address of Facility:	Malviya nagar			
(v) Tel. No.:	9560593140			
(vi) Fax. No.:				
(vii) E-mail ID:	ms_mnhosp@nic.in			
(viii) URL of Website:	ptmmmh.delhi.gov.in			
(ix) GPS coordinates of HCF of CBMWTF:	AND DESCRIPTION OF THE PARTY OF			
(x) Ownership of HCF or CBMWTF:	State Goverment			
(xi) Status of Authorization under the BMW (Managementand Handing) Rules:	Authorization No.: DPCC(11)(5)(01)/2022/BMW/NST/AUTH/811255238 Valid Upto: 15/11/2026			
(xii) Status of Consents under Water Act and Air Act.:	Valid Upto: 30/03/2026			
2. Type of Health Care Facility				
HCF/CBMWTF Type:	HCF			
(i) No. of Beds(for Bedded Hospital):	100.0			
(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other):				
(iii) Licence Number:	00			
(iv) Licence date of expiry:				
3. Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category: 19378 Red Category: 16386 White Category: 2021 Blue Category: 2457 General Solid Waste: 100000			

(i) Details of the on-site storage facility:	Size: 100 Metric Tonnes/Year Capacity: 200 Numbers/Day Provision of on-site storage: Central BMW storage room				
(ii) Disposal Facility:	Type of Treatment Equipment	Number of Units	Capacity(Kg day)	Quantity Treated or Disposed(Kg annum)	
	Microwave	1	50	8000	
	Needle tip cutter or destroyer	75	75	2000	
	Chemical Disinfection	25	150	15000	
(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum:	0.0				
(iv) No of vehicles used for collection and transportation of BMW:	0				
(v) Details of incineration, ash and ETP sludge generated, disposal during the treatment of wastes in Kg per annum	Type of was	te Qua	ntity Verated	Where disposal	
	ETP Sludge	e 5	50	Yellow bag	
(vi) Name of the Common BMW-Treatment Facility Operator through which wastes are disposed of:	M/S Biotic Waste Solutions				
5. Do you have BMW management committee:	yes				
details:	Nodal Officer D	r Mala Vinayal	ζ.		
6. Training Conducted on BMW Details					
(i) Number of training conducted on BMW Management:	25				
(ii) Number of personnel trained:	300				
(iii) Number of personnel trained at the time of induction:	150				
(iv) Number of personnel not undergone any training so far:	0				
(v) Whether standard manual for training is available:	yes				
(vi) Any other information:	NA				
7. Details of the accident occurred					
(i) No. of accident occurred:	0				
(ii) Number of the persons affected:	0				
(iii) Remedial Action taken:	NA				
(iv) Any Fatality occurred, details:	NA .				
8. Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?:	NA .				
Details of Continuous online emission monitoring systems installed:	Yes				
9. Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year:	ETP 50 KL/day				
10. Is the disinfection method or sterilization meeting the log for standards? How many times you have not met the standards in a year?:	ETP 50 KL/day				
11. Any other relevant information:	NA				
12. Certified that the above report is for the period from:	!st Jan 2024 to 31st Dec 2024				

## Name and Signature of the Head of the Institution

**Date** :06/05/2025 **Place** : *SOUTH* 

